




**waag society**

*institute for art, science and technology*




# BioHack Academy Documentation





# Why document?

- Memory
- Structuring
- Sharing
- Improving
- Pride





# GitHub

As easy as 1,2,3 & 4: Setup, create repo, fork repo and collaborate

Explore Gist Blog Help

PieterVanBoheem... + - [notification] [settings] [share]

PieterVanBoheemen ▾

News Feed

Pull Requests

Issues

## GitHub Bootcamp



1



### Set up Git

A quick guide to help you get started with Git.

2



### Create repositories

Repositories are where you'll work and collaborate on projects.

3



### Fork repositories

Forking creates a new, unique project from an existing one.

4



### Work together

Send pull requests, follow friends. Star and watch projects.



## You've been added to the **waagsociety** organization!

Here are some quick tips for a first-time organization member.

- Use the switch context button in the upper left corner of this page to switch between your personal context (**PieterVanBoheemen**) and organizations you are a member of.
- After you switch contexts you'll see an organization-focused dashboard that lists out organization repositories and activities.

defunkt ▾

## Announcing GitHub Enterprise 2.1.0

LDAP Sync, support for OpenStack KVM, instance monitoring, and more.

[View 51 new broadcasts](#)

Your repositories 2

[+ New repository](#)


Find a repository...





# Features of Github


- Collaboration
- Version tracking
- Issue tracking
- Forking





# Creating a Jekyll Github page

Jekyll allows you to create a „blog” type website on Github quickly



Follow this guide to get started:

<https://github.com/barryclark/jekyll-now>



# Mark down language

Jekyll recognizes Mark Down language that you can use to layout your text

## # Mou

![Mou icon](http://mouapp.com/Mou\_128.png)

## ## Overview

**Mou**, the missing Markdown editor for *web developers*.

## ### Syntax

### #### Strong and Emphasize

**strong** or `__strong__` ( Cmd + B )

*emphasize* or `_emphasize_` ( Cmd + I )

**Sometimes I want a lot of text to be bold. Like, seriously, a *LOT* of text**

### #### Blockquotes

> Right angle brackets `&gt;` are used for block quotes.

### #### Links and Email

An email `<example@example.com>` link.

Simple inline link `<http://chenluois.com>`, another inline link `[Smaller](http://smallerapp.com)`, one more inline link with title `[Resize](http://resizesafari.com "a Safari extension")`.

A `[reference style][id]` link. Input id, then anywhere in the doc, define the link with corresponding id:

## Mou



## Overview

Mou, the missing Markdown editor for *web developers*.

## Syntax

### Strong and Emphasize

**strong** or `strong` ( Cmd + B )

*emphasize* or `emphasize` ( Cmd + I )

**Sometimes I want a lot of text to be bold. Like, seriously, a *LOT* of text**

### Blockquotes

“

*Right angle brackets > are used for block quotes.*



# Join BioHack Academy group

Email your Github name to [pieter@waag.org](mailto:pieter@waag.org)

The screenshot shows the GitHub interface for the repository `BioHackAcademy`. At the top, there is a search bar and navigation links for `Explore`, `Gist`, `Blog`, and `Help`. The repository name `BioHackAcademy` is prominently displayed with its logo. Below the name, there is a search bar for repositories and a green `+ New repository` button. The repository description reads: `BioHackAcademy.github.io`, `CSS`, `★ 0`, and `👁 2,798`. It is noted as being forked from `PieterVanBoheemen/PieterVanBoheemen.github.io` with the description: `Build a Jekyll blog in minutes, without touching the command line.` and `Updated a minute ago`. On the right side, there are sections for `People` (showing `PieterVanBoheemen` and an `Invite someone` button) and `Teams` (with a `Jump to a team` search bar). The `Owners` section shows `1 member · 1 repository`.

In case you choose a different platform:  
send me the link as well!





**some  
rights  
reserved**